INDEX TO AUTHORS

ANSON, M. L. The denaturation of proteins by synthetic detergents and bile salts, 239
—. The purification of cathepsin, 695
—. The reactions of denatured egg albumin with ferricyanide, 247
—. The reactions of iodine and iodoacetamide with native egg albumin, 321

BARNES, T. CUNLIFFE. Summation of electrical potential of living membranes (frog skin): a model of the electrical organ of fishes, 729
BLINKS, L. R. Bioelectric potentials in *Halicystis*. VIII. The effects of light, 495
— and NIELSEN, JOHN P. The cell sap of *Hydrodictyon*, 551
BRONFENBRENNER, J. See KALMANSON and BRONFENBRENNER, 203
BUCHWALD, CHARLES E. See WHELDEN, BUCHWALD, COOPER, and HASKINS, 391

CHASE, AURIN M., and SMITH, EMIL L. Regeneration of visual purple in solution, 21
CLOWES, G. H. A., and KRAHL, M. E. Studies on cell metabolism and cell division. III. Oxygen consumption and cell division of fertilized sea urchin eggs in the presence of respiratory inhibitors, 401
—. See KRAHL and CLOWES, 413
COLE, WILLIAM H. The composition of fluids and sera of some marine animals and of the sea water in which they live, 575
COMMONER, BARRY. See THIMANN and COMMONER, 333
COOPER, FRANKLIN S. See WHELDEN, BUCHWALD, COOPER, and HASKINS, 391
CROZIER, W. J. On the relation between birth weight and litter size, in mice, 309
— and HOLWAY, A. H. Theory and measurement of visual mechanisms. III. ΔI as a function of area, intensity, and wave length, for monocular and binocular stimulation, 101
— and WOLF, ERNST. The flicker response contour for the crayfish. I, 1
— and —. The flicker response contour for the frog, 229
— and —. The flicker response curve for *Fundulus*, 677
— and —. Reaction to visual flicker in the newt *Triturus*, 667
— and —. Temperature and critical illumination for reaction to flickering light. V. *Xiphophorus*, *Platypoecilius*, and their hybrids, 143
— and —. VI. Flash duration varied, 531

DAVIS, ALVA R. See WINNICK, DAVIS, and GREENBERG, 275, 289, 301
DELBRÜCK, M. Adsorption of bacteriophage under various physiological conditions of the host, 631
—. The growth of bacteriophage and lysis of the host, 643
DESREUX, VICTOR. See HERRIOTT, DESREUX, and NORTHROP, 439
DOUDOROFF, MICHAEL. Experiments on the adaptation of *Escherichia coli* to sodium chloride, 585

EVANS, HERBERT M. See LI, EVANS, and WONDER, 733
—. See LI, LYONS, and EVANS, 433

FRENCH, C. S. The pigment-protein compound in photosynthetic

bacteria. I. The extraction and properties of photosynthin, 469
FRENCH, C. S. The pigment-protein compound in photosynthetic bacteria. II. The absorption curves of photosynthin from several species of bacteria, 483

GORIN, MANUEL. See VELICK and GORIN, 753
GREENBERG, DAVID M. See WINNICK, DAVIS, and GREENBERG, 275, 289, 301
GUTTMAN, RITA. Stabilization of spider crab nerve membranes by alkaline earths, as manifested in resting potential measurements, 343

HADIDIAN, ZAREH, and HOAGLAND, HUDSON. Chemical pacemakers. Part I. Catalytic brain iron. Part II. Activation energies of chemical pacemakers, 81
HALPERIN, M. H. See MCFARLAND and HALPERIN, 613
HASKINS, CARYL P. See WHELDEN, BUCHWALD, COOPER, and HASKINS, 391
HECHT, SELIG, and PIRENNE, MAURICE HENRI. The sensibility of the nocturnal long eared owl in the spectrum, 709
HERRIOTT, ROGER M., DESREUX, VICTOR, and NORTHROP, JOHN H. Electrophoresis of pepsin, 439
HERSHEY, A. D. Factors limiting bacterial growth. VI. Equations describing the early periods of increase, 11
HILL, S. E. See OSTERHOUT and HILL, 743
HOAGLAND, HUDSON. See HADIDIAN and HOAGLAND, 81
HÖBER, RUDOLF. Studies concerning the nature of the secretory activity of the isolated Ringer-perfused frog liver. I. The differential secretion of pairs of dyestuffs, 185
— and MOORE, ELINOR. Studies concerning the nature of the secretory activity of the isolated Ringer-perfused frog liver. II. The inhibitory and the promoting influence of organic electrolytes and non-electrolytes upon the secretion of dyestuffs, 191
HOLWAY, A. H. See CROZIER and HOLWAY, 101

INGRAM, M. The influence of sodium chloride and temperature on the endogenous respiration of *Bacillus cereus*, 773
INMAN, O. L. Studies on the chlorophylls and photosynthesis of thermal algae from Yellowstone National Park, California, and Nevada, 661

JACQUES, A. G. The kinetics of penetration. XX. Effect of pH and of light on absorption in impaled *Halicystis*, 41
—. Separation of potassium isotopes in *Valonia* and *Nitella*, 741

KALMANSON, G., and BRONFENBRENNER, J. Studies on the purification of bacteriophage, 203
KRAHL, M. E., and CLOWES, G. H. A. Studies on cell metabolism and cell division. IV. Combined action of substituted phenols, cyanide, carbon monoxide, and other respiratory inhibitors on respiration and cell divsion, 413
—. See CLOWES and KRAHL, 401
KRUEGER, A. P., SCRIBNER, E. J., and MECRACKEN, T. The photodynamic inactivation of phage precursor by methylene blue, 705

LI, CHOH HAO, EVANS, HERBERT M., and WONDER, DONALD H. Electrophoretic homogeneity of pregnant mare serum gonadotrophin, 733
—, LYONS, WILLIAM R., and EVANS, HERBERT M. Studies on pituitary lactogenic hormone. I. Electrophoretic behavior, 433
LORING, HUBERT S. Solubility studies on purified tobacco mosaic virus, 719

LYDDANE, R. H., and STUHLMAN, OTTO, JR. The theoretical response of living cells to contact with solid bodies, 521

LYONS, WILLIAM R. See LI, LYONS, and EVANS, 433

MCFARLAND, R. A., and HALPERIN, M. H. The relation between foveal visual acuity and illumination under reduced oxygen tension, 613

MECRACKEN, T. See KRUEGER, SCRIBNER, and MECRACKEN, 705

MOORE, ELINOR. See HÖBER and MOORE, 191

MURRAY, J. W. See OSTERHOUT and MURRAY, 365

NIELSEN, JOHN P. See BLINKS and NIELSEN, 551

NORTHROP, JOHN H. Increase in bacteriophage and gelatinase concentration in cultures of *Bacillus megatherium*, 59

—. See HERRIOTT, DESREUX, and NORTHROP, 439

OSTERHOUT, W. J. V. Calculations of bioelectric potentials. V. Potentials in *Halicystis*, 53

—. VI. Some effects of guaiacol on *Nitella*, 171

—. Effects of guaiacol and hexylresorcinol in the presence of barium and calcium, 749

—. Effects of hexylresorcinol on *Nitella*, 569

—. Some chemical aspects of the potassium effect, 429

— and HILL, S. E. Action curves with single peaks in *Nitella* in relation to the movement of potassium, 743

— and MURRAY, J. W. Behavior of water in certain heterogeneous systems, 365

PETERS, ERICH, and SASLOW, GEORGE. Performance of the Hepp micro-osmometer, 177

PIRENNE, MAURICE HENRI. See HECHT and PIRENNE, 709

PRICE, JOHN W. Time-temperature relations in the incubation of the whitefish, *Coregonus clupeaformis* (Mitchill), 449

SASLOW, GEORGE. See PETERS and SASLOW, 177

SCRIBNER, E. J. See KRUEGER, SCRIBNER, and MECRACKEN, 705

SMITH, EMIL L. See CHASE and SMITH, 21

STUHLMAN, OTTO, JR. See LYDDANE and STUHLMAN, 521

SUBBAROW, Y., and TRAGER, W. The chemical nature of growth factors required by mosquito larvae. II. Pantothenic acid and vitamin B_6, 561

TEORELL, TORSTEN. On the permeability of the stomach mucosa for acids and some other substances, 263

THIMANN, KENNETH V., and COMMONER, BARRY. A differential volumeter for micro respiration measurements, 333

TRAGER, W. See SUBBAROW and TRAGER, 561

VELICK, SIDNEY, and GORIN, MANUEL. The electrical conductance of suspensions of ellipsoids and its relation to the study of avian erythrocytes, 753

WHELDEN, ROY M., BUCHWALD, CHARLES E., COOPER, FRANKLIN S., and HASKINS, CARYL P. Electron bombardment of biological materials. II. The rate of death of fungus spores bombarded in vacuum with cathode ray beams from 4 kv.–15 kv., 391

WILKERSON, VERNON A. The chemistry of human skin. IV. The electrokinetic effect of various ions upon suspended particles of stratum corneum, 165

WINNICK, THEODORE, DAVIS, ALVA R., and GREENBERG, DAVID M. Physicochemical properties of the proteolytic enzyme from the latex of the milkweed, *Asclepias speciosa* Torr. Some comparisons with other proteases. I. Chemical properties, activation-inhibition, pH-activity, and temperature-activity curves, 275

—, —, and —. II. Kinetics of protein digestion by asclepain, 289

WINNICK, THEODORE, DAVIS, ALVA R., and GREENBERG, DAVID M. Physicochemical properties of the proteolytic enzyme from the latex of the milkweed, *Asclepias speciosa* Torr. Some comparisons with other proteases. III. Kinetics of the heat inactivation of papain, bromelin, and asclepain, 301

WOLF, ERNST. See CROZIER and WOLF, 1, 143, 229, 531, 667, 677

WONDER, DONALD H. See LI, EVANS, and WONDER, 733

INDEX TO SUBJECTS

ABSORPTION curves of photosynthin, pigment-protein compound, from photosynthetic bacteria, 483

— in impaled *Halicystis*, effect of hydrogen ion concentration and of light, 41

Acid, pantothenic, and vitamin B_6, chemical nature of growth factors required by mosquito larvae, 561

Acids and other substances, permeability of stomach mucosa for, 263

Adsorption of bacteriophage under various physiological conditions of host, 631

Albumin, egg, denatured, reactions with ferricyanide, 247

—, egg, native, reactions of iodine and iodoacetamide with, 321

Algae, thermal, from Yellowstone National Park, California, and Nevada, chlorophylls and photosynthesis, 661

Alkaline earths, stabilization of spider crab nerve membranes by, as manifested in resting potential measurements, 343

Animals, marine, composition of fluids and sera, and of sea water in which they live, 575

Asclepain, kinetics of protein digestion by, comparisons of physicochemical properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., with other proteases, 289

—, papain, and bromelin, kinetics of heat inactivation, comparison of physicochemical properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., with, 301

Asclepias speciosa Torr., physicochemical properties of proteolytic enzyme from latex, comparisons with other proteases, activation-inhibition and influence of hydrogen ion concentration and temperature, 275

Asclepias speciosa Torr., physicochemical properties of proteolytic enzyme from latex, comparisons with other proteases, kinetics of heat inactivation of papain, bromelin, and asclepain, 301

— *speciosa* Torr., physicochemical properties of proteolytic enzyme from latex, comparisons with other proteases, kinetics of protein digestion by asclepain, 289

Avian erythrocytes, relation of electrical conductance of ellipsoid suspensions, 753

BACILLUS *cereus*, endogenous respiration, influence of sodium chloride and temperature, 773

— *megatherium* cultures, increase in bacteriophage and gelatinase concentration in, 59

Bacteria, photosynthetic, containing pigment-protein compound, photosynthin, absorption curves, 483

—, photosynthetic, containing pigment-protein compound, photosynthin, extraction and properties, 469

Bacterial growth, factors limiting, equations describing early periods of increase, 11

Bacteriophage, adsorption under various physiological conditions of host, 631

— and gelatinase concentration, increase in cultures of *Bacillus megatherium*, 59

—, growth, and lysis of host, 643

— precursor, photodynamic inactivation by methylene blue, 705

—, purification, 203

Barium and calcium, effects of guaiacol and hexylresorcinol in presence of, 749
Bile salts and synthetic detergents, denaturation of proteins by, 239
Bioelectric potentials, calculations, effects of guaiacol on *Nitella*, 171
— potentials in *Halicystis*, calculations, 53
— potentials in *Halicystis*, effects of light, 495
Biological materials, electron bombardment, rate of death of fungus spores bombarded in vacuum with cathode ray beams from 4 to 15 kilovolts, 391
Birth weight and litter size, relation in mice, 309
Brain iron, catalytic, and activation energies of chemical pacemakers, 81
Bromelin, papain, and asclepain, kinetics of heat inactivation, comparisons of physicochemical properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., with, 301

CALCIUM and barium, effects of guaiacol and hexylresorcinol in presence of, 749
California, Nevada, and Yellowstone National Park, chlorophylls and photosynthesis of thermal algae from, 661
Carbon monoxide, substituted phenols, cyanide, and respiratory inhibitors, combined action on respiration and cell division, 413
Catalytic brain iron, and activation energies of chemical pacemakers, 81
Cathepsin, purification, 695
Cathode ray beams from 4 to 15 kilovolts, death rate of fungus spores bombarded in vacuum with, 391
Cell metabolism and division, 401, 413
— sap of *Hydrodictyon*, 551
Cells, living, theoretical response to contact with solid bodies, 521
Chemical aspects of potassium effect, 429
— nature of growth factors required by mosquito larvae, pantothenic acid and vitamin B_6, 561
— pacemakers, catalytic brain iron, and activation energies of, 81
—, physico-, properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons with other proteases, kinetics of heat inactivation of papain, bromelin, and asclepain, 301
—, physico-, properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons with other proteases, kinetics of protein digestion by asclepain, 289
— properties, activation-inhibition, and influence of hydrogen ion concentration and temperature on proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons with other proteases, 275
Chemistry of human skin, electrokinetic effect of ions upon suspended particles of stratum corneum, 165
Chlorophylls and photosynthesis of thermal algae from Yellowstone National Park, California, and Nevada, 661
Conductance, electrical, of suspensions of ellipsoids, relation to study of avian erythrocytes, 753
Coregonus clupeaformis Mitchill, time-temperature relations in incubation, 449
Crab, spider, nerve membranes, stabilization by alkaline earths, as manifested in resting potential measurements, 343
Crayfish, flicker response contour, 1
Cultivation, *Bacillus megatherium*, increase in bacteriophage and gelatinase concentration, 59
Cyanide, substituted phenols, carbon monoxide, and respiratory inhibitors, combined action on respiration and cell division, 413

DEATH rate of fungus spores bombarded in vacuum with cathode ray beams from 4 to 15 kilovolts, 391
Detergents, synthetic, and bile salts, denaturation of proteins by, 239
Digestion, protein, by asclepain, kinetics, comparisons of physicochemical properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., with other proteases, 289
Dyestuffs, pairs, differential secretion by isolated Ringer-perfused frog liver, 185
—, secretion by isolated Ringer-perfused frog liver, inhibitory and promoting influence of organic electrolytes and non-electrolytes, 191

EGG albumin, denatured, reactions with ferricyanide, 247
— albumin, native, reactions of iodine and iodoacetamide with, 321
Eggs, sea urchin, fertilized, oxygen consumption and cell division in presence of respiratory inhibitors, 401
Electric potential of living membranes, frog skin, 729
— potentials in *Halicystis*, calculations, 53
— potentials in *Halicystis*, effects of light, 495
— potentials in *Nitella*, calculations, effects of guaiacol, 171
Electrical conductance of suspensions of ellipsoids and relation to study of avian erythrocytes, 753
Electrokinetic effect of ions upon suspended particles of stratum corneum, 165
Electrolytes and non-electrolytes, organic, inhibitory and promoting influence upon secretion of dyestuffs by isolated Ringer-perfused frog liver, 191
Electron bombardment of biological materials, rate of death of fungus spores bombarded in vacuum with cathode ray beams from 4 to 15 kilovolts, 391
Electrophoresis of pepsin, 439
Electrophoretic behavior of pituitary lactogenic hormone, 433
— homogeneity of pregnant mare serum gonadotrophin, 733
Ellipsoids, suspensions, electrical conductance, relation to study of avian erythrocytes, 753
Enzyme, proteolytic, from latex of milkweed, *Asclepias speciosa* Torr., physicochemical properties, comparisons with other proteases, activation-inhibition and influence of hydrogen ion concentration and temperature, 275
—, proteolytic, from latex of milkweed, *Asclepias speciosa* Torr., physicochemical properties, comparisons with other proteases, kinetics of heat inactivation of papain, bromelin, and asclepain, 301
—, proteolytic, from latex of milkweed, *Asclepias speciosa* Torr., physicochemical properties, comparisons with other proteases, kinetics of protein digestion by asclepain, 289
Erythrocytes, avian, relation of electrical conductance of ellipsoid suspensions, 753
Escherichia coli, adaptation to sodium chloride, 585
Eye, monocular and binocular stimulation, ΔI as function of area, intensity, and wave length for, 101

FERRICYANIDE, reactions of denatured egg albumin with, 247
Fertilized sea urchin eggs, oxygen consumption and cell division, in presence of respiratory inhibitors, 401
Fish, *Coregonus clupeaformis* Mitchill, time-temperature relations in incubation, 449
Fishes, electrical organ, model, 729
Fluids and sera of marine animals, and sea water in which they live, composition, 575
Foveal visual acuity, relation to illumination under reduced oxygen tension, 613
Frog, flicker response contour, 229

Frog skin, living membranes, electrical potential, 729
Fundulus, flicker response curve, 677
Fungus spores bombarded in vacuum with cathode ray beams from 4 to 15 kilovolts, death rate, 391

GELATINASE and bacteriophage concentration, increase in cultures of *Bacillus megatherium*, 59
Gonadotrophin, pregnant mare serum, electrophoretic homogeneity, 733
Growth, bacterial, factors limiting, equations describing early periods of increase, 11
— factors required by mosquito larvae, chemical nature, pantothenic acid and vitamin B_6, 561
— of bacteriophage and lysis of host, 643
Guaiacol, effects on *Nitella*, calculations of bioelectric potentials, 171
— and hexylresorcinol, effects in presence of barium and calcium, 749

HALICYSTIS, bioelectric potentials, calculations, 53
—, bioelectric potentials, effects of light, 495
—, impaled, effect of hydrogen ion concentration and of light on absorption in, 41
Heat inactivation of papain, bromelin, and asclepain, kinetics, comparisons of physicochemical properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., with other proteases, 301
Hexylresorcinol, effects on *Nitella*, 569
— and guaiacol, effects in presence of barium and calcium, 749
Hormone, pituitary, lactogenic, electrophoretic behavior, 433
Horse, pregnant, serum gonadotrophin, electrophoretic homogeneity, 733
Hybrids of *Xiphophorus* and *Platypoecilius*, temperature and critical illumination for reaction to flickering light, 143
Hydrodictyon, cell sap, 551
Hydrogen ion concentration, effect on absorption in impaled *Halicystis*, 41
— ion concentration, influence on proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons with other proteases, 275

IODINE and iodoacetamide, reactions with native egg albumin, 321
Iodoacetamide and iodine, reactions with native egg albumin, 321
Ions, electrokinetic effect upon suspended particles of human stratum corneum, 165
Iron, brain, catalytic, and activation energies of chemical pacemakers, 81
Isotopes, potassium, separation in *Valonia* and *Nitella*, 741

KINETICS of heat inactivation of papain, bromelin, and asclepain, comparisons of physicochemical properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., with other proteases, 301
— of penetration, effect of hydrogen ion concentration and of light on absorption in impaled *Halicystis*, 41
— of protein digestion by asclepain, comparisons of physicochemical properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., with other proteases, 289

LACTOGENIC hormone, pituitary, electrophoretic behavior, 433
Larvae, mosquito, chemical nature of growth factors required, pantothenic acid and vitamin B_6, 561
Latex of milkweed, *Asclepias speciosa* Torr., physicochemical properties of proteolytic enzyme from, comparisons with other proteases, activation-inhibition and influence of hydrogen ion concentration and temperature, 275
— of milkweed, *Asclepias speciosa* Torr., physicochemical properties of pro-

teolytic enzyme from, comparisons with other proteases, kinetics of heat inactivation of papain, bromelin, and asclepain, 301
Latex of milkweed, *Asclepias speciosa* Torr., physicochemical properties of proteolytic enzyme from, comparisons with other proteases, kinetics of protein digestion by asclepain, 289
Light, effect on absorption in impaled *Halicystis*, 41
—, effects on bioelectric potentials in *Halicystis*, 495
—, flicker response contour for frog, 229
—, flickering, temperature and critical illumination for reaction of *Xiphophorus*, *Platypoecilius*, and their hybrids, 143
—, flickering, temperature and critical illumination for reaction to, flash duration varied, 531
Litter size and birth weight in mice, relation between, 309
Liver, frog, Ringer-perfused, isolated, differential secretion of pairs of dyestuffs, 185
—, frog, Ringer-perfused, isolated, inhibitory and promoting influence of organic electrolytes and non-electrolytes upon secretion of dyestuffs, 191
Lysis of host, and growth of bacteriophage, 643

MAN, skin, chemistry, electrokinetic effect of ions upon suspended particles of stratum corneum, 165
Membranes, living, frog skin, electrical potential, 729
—, nerve, spider crab, stabilization by alkaline earths, as manifested in resting potential measurements, 343
Metabolism, cell, and cell division, 401, 413
Methylene blue, photodynamic inactivation of phage precursor by, 705
Micro osmometer, Hepp, performance, 177
Micro respiration measurements, differential volumeter, 333
Milkweed, *Asclepias speciosa* Torr., latex, physicochemical properties of proteolytic enzyme from, comparisons with other proteases, activation-inhibition and influence of hydrogen ion concentration and temperature, 275
—, *Asclepias speciosa* Torr., latex, physicochemical properties of proteolytic enzyme from, comparisons with other proteases, kinetics of heat inactivation of papain, bromelin, and asclepain, 301
—, *Asclepias speciosa* Torr., latex, physicochemical properties of proteolytic enzyme from, comparisons with other proteases, kinetics of protein digestion by asclepain, 289
Mosaic virus, tobacco, purified, solubility, 719
Mosquito larvae, chemical nature of growth factors required, pantothenic acid and vitamin B_6, 561
Mucosa, stomach, permeability for acids and other substances, 263

NERVE membranes, spider crab, stabilization by alkaline earths, as manifested in resting potential measurements, 343
Nevada, California, and Yellowstone National Park, chlorophylls and photosynthesis of thermal algae from, 661
Newt, *Triturus*, reaction to visual flicker, 667
Nitella, action curves with single peaks, in relation to movement of potassium, 743
—, effects of guaiacol, calculations of bioelectric potentials, 171
—, effects of hexylresorcinol, 569
— and *Valonia*, separation of potassium isotopes in, 741

ORGAN, electrical, fishes, model, 729
Organic electrolytes and non-electrolytes, inhibitory and promoting influence upon secretion of dyestuffs by isolated Ringer-perfused frog liver, 191

Osmometer, micro, Hepp, performance, 177
Owl, nocturnal, long eared, sensibility in spectrum, 709
Oxygen consumption and cell division of fertilized sea urchin eggs in presence of respiratory inhibitors, 401
— tension, reduced, relation between foveal visual acuity and illumination, 613

PANTOTHENIC acid and vitamin B_6, chemical nature of growth factors required by mosquito larvae, 561
Papain, bromelin, and asclepain, kinetics of heat inactivation, comparisons of physicochemical properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., with, 301
Penetration, kinetics, effect of hydrogen ion concentration and of light on absorption in impaled *Halicystis*, 41
Pepsin, electrophoresis, 439
Perfusion, Ringer, nature of secretory activity of isolated frog liver, 185, 191
Permeability of stomach mucosa for acids and other substances, 263
Phenols, substituted, cyanide, carbon monoxide, and respiratory inhibitors, combined action on respiration and cell division, 413
Photodynamic inactivation of phage precursor by methylene blue, 705
Photosynthesis and chlorophylls of thermal algae from Yellowstone National Park, California, and Nevada, 661
Photosynthetic bacteria containing pigment-protein compound, photosynthin, absorption curves, 483
— bacteria containing pigment-protein compound, photosynthin, extraction and properties, 469
Photosynthin, pigment-protein compound in photosynthetic bacteria, absorption curves, 483
Photosynthin, pigment-protein compound in photosynthetic bacteria, extraction and properties, 469
Physicochemical properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons with other proteases, activation-inhibition and influence of hydrogen ion concentration and temperature, 275
— properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons with other proteases, kinetics of heat inactivation of papain, bromelin, and asclepain, 301
— properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons with other proteases, kinetics of protein digestion by asclepain, 289
Physiological conditions of host, influence on adsorption of bacteriophage, 631
Pigment-protein compound, photosynthin, in photosynthetic bacteria, absorption curves, 483
— compound, photosynthin, in photosynthetic bacteria, extraction and properties, 469
Pituitary lactogenic hormone, electrophoretic behavior, 433
Platypoecilius, *Xiphophorus*, and hybrids, reaction to flickering light, temperature and critical illumination for, 143
Potassium effect, chemical aspects, 429
— isotopes in *Valonia* and *Nitella*, separation, 741
—, movement, relation of action curves with single peaks in *Nitella*, 743
Potential, electrical, of living membranes, frog skin, 729
— measurements, resting, stabilization of spider crab nerve membranes by alkaline earths, manifested in, 343
Potentials, bioelectric, calculations, effect of guaiacol on *Nitella*, 171

Potentials, bioelectric, in *Halicystis*, calculations, 53
—, bioelectric, in *Halicystis*, effects of light, 495
Pregnant mare serum gonadotrophin, electrophoretic homogeneity, 733
Proteases, and proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons of physicochemical properties, activation-inhibition and influence of hydrogen ion concentration and temperature, 275
—, and proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons of physicochemical properties, kinetics of heat inactivation of papain, bromelin, and asclepain, 301
—, and proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons of physicochemical properties, kinetics of protein digestion by asclepain, 289
Protein digestion by asclepain, kinetics, comparisons of physicochemical properties of proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., with other proteases, 289
Protein-pigment compound, photosynthin, in photosynthetic bacteria, absorption curves, 483
— compound, photosynthin, in photosynthetic bacteria, extraction and properties, 469
Proteins, denaturation by synthetic detergents and bile salts, 239
Proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., physicochemical properties, comparisons with other proteases, activation-inhibition and influence of hydrogen ion concentration and temperature, 275
— enzyme from latex of milkweed, *Asclepias speciosa* Torr., physicochemical properties, comparisons with other proteases, kinetics of heat inactivation of papain, bromelin, and asclepain, 301
— enzyme from latex of milkweed, *Asclepias speciosa* Torr., physicochemical properties, comparisons with other proteases, kinetics of protein digestion by asclepain, 289

RESPIRATION, endogenous, of *Bacillus cereus*, influence of sodium chloride and temperature, 773
—, micro, measurements, differential volumeter, 333
Respiratory inhibitors, combined action of substituted phenols, cyanide, and carbon monoxide on respiration and cell division, 413
— inhibitors, oxygen consumption and cell division of fertilized sea urchin eggs in presence of, 401
Ringer-perfused frog liver, isolated, differential secretion of pairs of dyestuffs, 185
— frog liver, isolated, inhibitory and promoting influence of organic electrolytes and non-electrolytes upon secretion of dyestuffs, 191

SALTS, bile, and synthetic detergents, denaturation of proteins by, 239
Sea urchin eggs, fertilized, oxygen consumption and cell division, in presence of respiratory inhibitors, 401
Secretory activity of isolated Ringer-perfused frog liver, 185, 191
Sensibility of nocturnal long eared owl in spectrum, 709
Sera and fluids of marine animals, and sea water in which they live, composition, 575
Serum, pregnant mare, gonadotrophin, electrophoretic homogeneity, 733
Skin, frog, living membranes, electrical potential, 729
—, human, chemistry, electrokinetic effect of ions upon suspended particles of stratum corneum, 165
Sodium chloride, adaptation of *Escherichia coli* to, 585
— chloride and temperature, influence on endogenous respiration of *Bacillus cereus*, 773
Solid bodies, theoretical response of living cells to contact with, 521

Solubility studies on purified tobacco mosaic virus, 719
Spectrum, sensibility of nocturnal long eared owl in, 709
Spider crab nerve membranes, stabilization by alkaline earths, as manifested in resting potential measurements, 343
Spores, fungus, bombarded in vacuum with cathode ray beams from 4 to 15 kilovolts, death rate, 391
Springs, hot, thermal algae from Yellowstone National Park, California, and Nevada, chlorophylls and photosynthesis, 661
Stimulation, monocular and binocular, ΔI as function of area, intensity, and wave length for, 101
Stomach mucosa, permeability for acids and other substances, 263
Stratum corneum, human, suspended particles, electrokinetic effect of ions upon, 165

TEMPERATURE and critical illumination for reaction of *Xiphophorus*, *Platypoecilius*, and their hybrids to flickering light, 143
— and critical illumination for reaction to flickering light, flash duration varied, 531
—, influence on proteolytic enzyme from latex of milkweed, *Asclepias speciosa* Torr., comparisons with other proteases, 275
— and sodium chloride, influence on endogenous respiration of *Bacillus cereus*, 773
Temperature-time relations in incubation of whitefish, *Coregonus clupeaformis* Mitchill, 449
Tension, oxygen, reduced, relation between foveal visual acuity and illumination, 613
Tobacco mosaic virus, purified, solubility, 719
Triturus, reaction to visual flicker, 667

VACUUM, death rate of fungus spores bombarded in, with cathode ray beams from 4 to 15 kilovolts, 391
Valonia and *Nitella*, separation of potassium isotopes in, 741
Virus, tobacco mosaic, purified, solubility, 719
Vision, acuity, foveal, relation to illumination under reduced oxygen tension, 613
—, mechanisms, theory and measurement, ΔI as function of area, intensity, and wave length, for monocular and binocular stimulation, 101
—, reaction to flicker in newt *Triturus*, 667
—, regeneration of visual purple in solution, 21
Vitamin B_6 and pantothenic acid, chemical nature of growth factors required by mosquito larvae, 561
Volumeter, differential, for micro respiration measurements, 333

WATER, behavior in heterogeneous systems, 365
—, sea, in which marine animals live, composition, and composition of their fluids and sera, 575
Weight, birth, and litter size, relation in mice, 309
Whitefish, *Coregonus clupeaformis* Mitchill, time-temperature relations in incubation, 449

XIPHOPHORUS, *Platypoecilius*, and their hybrids, reaction to flickering light, temperature and critical illumination for, 143

YELLOWSTONE National Park, California, and Nevada, chlorophylls and photosynthesis of thermal algae from, 661